



DESCRIPTION	PAGE
CONTENTS	2
CASH® PRODUCT RANGE OVERVIEW	3
CASH® SPECIAL RANGE	4
CASH® MAGNUM RANGE	6
CASH® MAGNUM LONG HANDLE	8
CASH® SMALL ANIMAL TOOL	10
CASH® COWPUNCHER	12
CASH® DISPATCH KIT	14
CASH® STUN CHECK	16
CASH® STUNNER DOCKING STATION	18
TOOL & STUNNING EQUIPMENT SERVICING	20
WORLDWIDE DISTRIBUTORS	21
NOTES	22
CONTACT DETAILSE	24

DISCLAIMER





































This document is correct at the time of printing. However, because our policy is one of constant development and improvement, details and images may vary slightly from those provided in this publication.

© Copyright of Frontmatec Accles & Shelvoke Ltd 2023 - All rights reserved Accles & Shelvoke, **CASH®**, **CASH® Special**, **CASH® Magnum**, **CASH® Cowpuncher** & **CASH® Small Animal Tool** are all trademarks of Frontmatec Accles & Shelvoke Ltd

ONLY EVER USE GENUINE FRONTMATEC ACCLES & SHELVOKE REPLACEMENT PARTS. NOT USING GENUINE PARTS MAY LEAD TO PREMATURE COMPONENT AND TOOL FAILURE, WHICH COULD ENDANGER THE OPERATOR AND THOSE IN THE IMMEDIATE VICINITY. IT WILL ALSO INVALIDATE OUR ORIGINAL EQUIPMENT WARRANTY.

FRONTMATEC ACCLES & SHELVOKE WILL ACCEPT NO LIABILITY IF ANY COMPONENTS OTHER THAN THOSE SUPPLIED BY FRONTMATEC ACCLES & SHELVOKE ARE USED WITH OUR ORIGINAL EQUIPMENT. THE RESULTANT LIABILITY WILL BE WITH THE END USER OR THE DISTRIBUTOR WHO SUPPLIED THE UNAPPROVED REPLACEMENT PARTS.

World leaders in the manufacture and supply of precision engineered cartridge powered tools, Frontmatec Accles & Shelvoke is proud to present our range of CASH® stunners

Product	Description	Calibre	Suggested use			
			Beef	Pork	Lamb	Poultry
 <p>CASH® Special</p>	Ergonomic pistol shape design, trigger operated stunner suitable for use on a very wide range of animals	.22" and .25"				
 <p>CASH® Special Concussion</p>	Non-penetrating concussive captive bolt stunner for small and medium animals. Ergonomic pistol shaped design. Aids compliance with religious slaughter.	.22" and .25"				
 <p>CASH® Special XL</p>	Ergonomic pistol shape design, with anti-bacterial handle, trigger operated stunner. Suitable for use on heavy animals.	.25"				
 <p>CASH® Cowpuncher</p>	Contact fire stunner designed specifically for cattle and other large animals. Extremely robust cylindrical design with automatic bolt return.	.22" and .25"				
 <p>CASH® Magnum Auto</p>	Cylindrical trigger fired stunner designed for most animal sizes. Featuring automatic bolt return ideal for high through-put meat plants.	.22" and .25"				
 <p>CASH® Magnum Auto long barrel</p>	Cylindrical shaped cartridge powered humane stunning tool featuring automatic bolt return with increased length of bolt for deeper penetration and kinetic energy. Suitable for most animals and ideal for high throughput processing plants.	.25"				
 <p>CASH® Magnum FreeFlight</p>	Trigger fired cylindrical tool with free flight bolt for maximum energy transfer.	.25"				
 <p>CASH® Magnum Concussion</p>	Cylindrical trigger operated non-penetrating concussion stunner suitable for cattle and other large animals. Aids compliance with religious slaughtering requirements.	.25"				
 <p>CASH® Magnum XL</p>	The world's most powerful penetrating bolt stunner. Specifically designed to stun exceptionally heavy animals.	.25"				
 <p>CASH® Small Animal Tool</p>	Cartridge powered tool for on farm use where independent power source is essential, ideal for use on poultry and small animals.	.25"				

Penetrating captive bolt pistol shaped stunner

Cartridge powered penetrating bolt stunning tool designed specifically to humanely stun a wide range of animals

Ergonomic pistol shaped cartridge powered humane stunning tool suitable for use on all animals



CASH® Special standard .22

Ergonomic pistol shaped cartridge powered humane stunning tool suitable for use on heavy animals



CASH® Special XL .25



CASH® Special medium .25

Ergonomic pistol shaped cartridge powered humane stunning tool with non-penetrating concussion head suitable for small animals



CASH® Special Concussion



CASH® Special long .25

Why the CASH® Special range!

- Proven ergonomic design
- Automatic bolt return
- Fast loading action
- Robust construction
- Reliable performance
- Available in .22" and .25" calibres
- Can be used with a wide range of cartridges for different animal sizes
- Low maintenance costs
- Proof tested in accordance with C.I.P.
- Compliant with European regulation EC 1099/2009
- Supplied with cleaning tools and maintenance instructions



CASH® Special HD .22



- Improved barrel
- Allows bolt to accelerate
 - Protects the head of the bolt
 - Allows the stunner to be positioned on animals head



CASH® Special range

Description	Calibre	Product weight	Max cartridge	Product code
CASH® Special standard black handle	.22"	3.0 kg	3.0 grain	4100R
CASH® Special HD black handle	.22"	3.0 kg	4.0 grain	4000
CASH® Special Concussion .22	.22"	3.2 kg	2.5 grain	4002
CASH® Special standard black handle	.25"	3.0 kg	3.0 grain	4121R
CASH® Special medium orange handle	.25"	3.1 kg	3.5 grain	4121HD
CASH® Special long orange handle	.25"	3.2 kg	3.5 grain	4121HL
CASH® Special Concussion .25	.25"	3.2 kg	2.0 grain	4122
CASH® Special XL pistol grip	.25"	3.19 kg	4.5 grain	4200

CASH® Special cartridge range

Calibre	Colour	Grain	Energy (J)			Suggested uses	Product code	
			STD	HD	HL		Tin 50	Box 1000
.22"	Brown	1.0	122	114	X	Piglets, lambs and kids	7505T	7505
.22"	Pink	1.25	189	182	X	Young calves, piglets, lambs and kids	7585T	7585
.22"	Purple	2.5	238	227	X	Small cattle, small pigs, ewes and goats	7565T	7565
.22"	Green	3.0	291	277	X	Medium sized cattle, market pigs, horses and other large animals	7632T	7632
.22"	Red	4.0	X	325	X	Heavy cattle and bulls, heavy pigs and large horses	7645T	7645
.25"	Pink	1.25	165	163	167	Young calves, piglets, lambs and kids	4121KA	7760
.25"	Yellow	2.0	249	243	247	Small cattle, small pigs, ewes and goats	4121KB	7710
.25"	Blue	3.0	296	288	297	Medium sized cattle, market pigs, horses and other large animals	4121KC	7757
.25"	Orange	3.5	X	329	332	Heavy cattle and bulls, heavy pigs and large horses	4121KD	7748

X - Configuration not available

Every Frontmatec Accles & Shelvoke stunning tool is provided with a range of support

- Cleaning and maintenance tools
- Readily available spare parts service
- Regulatory requirement compliant user instructions
- Full maintenance instructions
- Downloadable online information such as manuals, cartridge selection guides, training videos etc.
- On-site and in-house maintenance support (dependent upon your supplier)



Penetrating captive bolt stunner

The world's most powerful penetrating bolt stunning tool designed specifically to humanely stun exceptionally heavy animals



CASH® Magnum FreeFlight .25



CASH® Magnum Auto available in .22 & .25



CASH® Magnum Auto Long Bolt .25



CASH® Magnum Concussion .25

Cartridge powered humane stunning tool with non-penetrating concussion head for large animals

Why the CASH® Magnum range!

- Cartridge powered
- Trigger-fired operation
- Available with stop fire safety feature
- Fast loading action
- Robust construction
- Reliable performance
- Can be used with a wide range of cartridges for different animal sizes
- Low maintenance costs
- Proof tested in accordance with C.I.P.
- Compliant with European regulation EC 1099/2009
- Supplied with cleaning tools and maintenance instructions



CASH® Magnum XL .25

CASH® Magnum range

Description	Calibre	Product weight	Max cartridge	Product code
CASH® Magnum FreeFlight .25	.25"	2.6kg	4.5 grain	5648R
CASH® Magnum FreeFlight .25 with stop fire feature	.25"	2.6kg	4.5 grain	5648RNS
CASH® Magnum Auto .22	.22"	2.8kg	4.5 grain	5652R
CASH® Magnum Auto .22 with stop fire feature	.22"	2.9kg	4.5 grain	5652AS
CASH® Magnum Auto .25	.25"	2.8kg	4.5 grain	5660
CASH® Magnum Auto .25 with stop fire feature	.25"	2.9kg	4.5 grain	5660S
CASH® Magnum Auto Long Bolt .25	.25"	3.2kg	4.5 grain	5660LB
CASH® Magnum Auto Long Bolt .25 with stop fire feature	.25"	3.3kg	4.5 grain	5660LBS
CASH® Magnum XL .25 with stop fire feature	.25"	3.4kg	6.0 grain	5657
CASH® Magnum Concussion .25	.25"	2.9kg	6.0 grain	5654R
CASH® Magnum Concussion .25 with stop fire feature	.25"	2.9kg	6.0 grain	5654RS

CASH® Magnum cartridge range

Calibre	Colour	Grain	Energy (J)					Suggested Uses	Product Code	
			FreeFlight	Auto Std	Auto LB	XL	Conc.		Tin 50	Box 1000
.22"	Pink	1.25	X	213	X	X	X	Young calves, piglets, lambs and kids	7585T	7585
.22"	Purple	2.5	X	271	X	X	X	Small cattles, small pigs, ewes and goats	7565T	7565
.22"	Green	3.0	X	332	X	X	X	Medium sized cattle, market pigs, horses and other large animals	7632T	7632
.22"	Red	4.0	X	407	X	X	X	Heavy cattle and bulls, heavy pigs and large horses	7645T	7645
.22"	Black	4.5	X	418	X	X	X	Very heavy animals including bulls, sows and boars	7653T	7653
.25"	Pink	1.25	195	156	156	X	233	Young calves, piglets, lambs and kids	4121KA	7760
.25"	Yellow	2.0	297	276	276	X	301	Small cattle, small pigs, ewes and goats	4121KB	7710
.25"	Blue	3.0	355	329	329	X	350	Medium sized cattle, market pigs, horses and other large animals	4121KC	7757
.25"	Orange	3.5	406	374	374	X	415	Heavy cattle and bulls, heavy pigs and large horses	4121KD	7748
.25"	Black	4.0	522	483	483	546	454	Very heavy animals	7754T	7754
.25"	Green	4.5	578	533	533	561	515	Extremely heavy animals	7725T	7725
.25"	Red	6.0	X	X	X	667	637	Exceptionally heavy animals	7705T	7705

X - Configuration not available

Every Frontmatec Accles & Shelvoke stunning tool is provided with a range of support

- Cleaning and maintenance tools
- Readily available spare parts service
- Regulatory requirement compliant user instructions
- Full maintenance instructions
- Downloadable online information such as manuals, cartridge selection guides, training videos etc.
- On-site and in-house maintenance support (dependent upon your supplier)



CASH® Magnum stunning tool accessories

Extension handle for providing reach and accessibility with all CASH® Magnum stunning tools



⚠ Stunning tools sold separately!



Why the CASH® Magnum Long Handle!

- Universal handle for use with all CASH® Magnum stunning tools
- Secure fixing of the CASH® Magnum tool to the handle with cap screws
- Robust construction for long lasting use
- Trigger at the base of the handle for an easy firing mechanism



CASH® Magnum Long Handle specification

Description	Product weight	Dimensions	Material	Colour	Product code
CASH® Magnum Long Handle	4 kg	799x69mm	Steel and aluminium	Black	5800

CASH® Magnum Long Handle compatible tools

Description	Product code
CASH® Magnum Auto .22	5652R
CASH® Magnum Auto .22 SF	5652AS
CASH® Magnum Auto .25	5660
CASH® Magnum Auto .25 SF	5660S
CASH® Magnum FreeFlight .25	5648RNS
CASH® Magnum FreeFlight .25 SF	5648R
CASH® Magnum XL .25 SF	5657
CASH® Magnum Concussion .25	5654R
CASH® Magnum Concussion .25 SF	5654RS

What is included

- One CASH® Magnum Long Handle
- Hex key
- Printed copy of the user manual

Compatible tools with the CASH® Magnum Long Handle



CASH®
Magnum
FreeFlight



CASH®
Magnum
Auto



CASH®
Magnum
Concussion



CASH®
Magnum
XL

⚠ Stunning tools sold separately!

Non-penetrating captive bolt stunner

Cylindrical shaped cartridge powered humane stunning tool with non-penetrating concussion head suitable for poultry and other small animals



Choice of two concussion heads

Why the CASH® Small Animal Tool!

- Trigger fired operation
- Lightweight and well balanced
- Automatic bolt return
- Robust construction
- Reliable performance
- Easy to learn and operate
- Low maintenance costs
- Proof tested in accordance with C.I.P.
- CE compliant to Machinery Directive 2006/42/EC
- Supplied with cleaning tools and maintenance instructions



CASH® Small Animal Tool range

Description	Calibre	Product weight	Max cartridge	Product code
CASH® Small Animal Tool .22	.22"	1.5 kg	1.0 grain	CPK200
CASH® Small Animal Tool .22	.22"	1.5 kg	1.25 grain	CPK200

CASH® Small Animal Tool cartridge range

Calibre	Colour	Grain	Energy (J)	Suggested Uses	Product Code	
					Tin 50	Box 1000
.22"	Brown	1.0	47	Small animals and poultry	7505T	7505
.22"	Pink	1.25	107	Small animals and poultry	7585T	7585



Legislation Update Effective from 3rd February 2022 - The Protection of Animals at the Time of Killing (Amendment) (England) Regulations 2022, which amends Annex 1 to retained Council Regulation (EC) 1099/2009 on the protection of animals at the time of killing.

A non-penetrative captive bolt device can be used for slaughter, depopulation, and other situations for killing piglets, lambs, and kids, within certain specified parameters. The device can only be used as a killing method for:

- piglets of less than 10kg of live weight.
- kids of less than 4kg of live weight; or
- lambs of less than 6kg of live weight.

To be allowed for use as a killing method, the device must deliver a minimum kinetic energy of:

- 27.7 Joules for piglets
- 27.8 Joules for kids; and
- 107 Joules for lambs

The non-penetrative captive bolt device remains a permitted method for simple stunning for cattle, sheep, and goats (ruminants) under 10kg live weight, as well as poultry, rabbits, and hares. It can be used for slaughter, depopulation and other situations of poultry, rabbits, hares, and lambs of less than 10kg live weight and kids of less than 10kg live weight and slaughter only for other ruminants.

You must apply the device in the proper position and use the correct strength of cartridge or other propellant in accordance with the manufacturer's instructions to produce an effective stun or kill, as appropriate.

Penetrating captive bolt stunner

Cylindrical shaped cartridge powered humane stunning tool with contact fire operation designed specifically for cattle



Why the CASH® Cowpuncher!

- Robust construction
- Reliable performance
- Available in .22" and .25" calibres
- Automatic bolt return
- Positive no-fire safety system
- Low maintenance costs
- Proven ergonomic design
- Unique contact fire system ensures maximum bolt penetration
- Can be used with a wide range of cartridges for different animal sizes
- Low maintenance costs
- Proof tested in accordance with C.I.P.
- Compliant with European regulation EC 1099/2009
- Supplied with cleaning tools and maintenance instructions
- Inline handle reduces recoil off the animal



CASH® Cowpuncher range

Description	Calibre	Product weight	Max cartridge	Product code
CASH® Cowpuncher .22	.22"	2.8 kg	4 grain	5413R
CASH® Cowpuncher .25	.25"	2.8 kg	4.5 grain	5414R
CASH® Cowpuncher LH .25	.25"	4 kg	4.5 grain	5432R

CASH® Cowpuncher cartridge range

Calibre	Colour	Grain	Energy (J)	Suggested uses	Product code	
					Tin 50	Box 1000
.22"	Purple	2	268	Small cattle, small pigs, ewes and goats	7565T	7565
.22"	Green	3	306	Medium sized cattle, market pigs, horses and other large animals	7632T	7632
.22"	Red	4	358	Heavy cattle and bulls, heavy pigs and large horses	7645T	7645
.22"	Black	4.5	421	Very heavy animals including bulls, sows and boars	7653T	7653
.25"	Yellow	2	273	Small cattle, small pigs, ewes and goats	4121KB	7710
.25"	Blue	3	316	Medium sized cattle, market pigs, horses and other large animals	4121KC	7757
.25"	Orange	3.5	345	Heavy cattle and bulls, heavy pigs and large horses	4121KD	7748
.25"	Black	4	445	Very heavy animals	7754T	7754
.25"	Green	4.5	544	Extremely heavy animals	7725T	7725

CASH® Cowpuncher long reach tool

Extension handle for providing reach and accessibility for the CASH® Cowpuncher



CASH® Cowpuncher long reach tool

Why the CASH® Cowpuncher long reach tool

- Longer reach
- Greater accessibility into the kill box
- Safer distance from the animal for the operator
- Ergonomic design
- Easy to use
- Use existing CASH® Cowpuncher barrel



Penetrating & non-penetrating captive bolt stunner kit

CASH® special stunning tool with four muzzles and bolt assemblies to cover every emergency euthanasia situation

Why the CASH® Dispatch Kit!

- Heavy duty CASH® Special
- Conversion to various formats
- Long bolt (for large animals)
- Standard bolt
- Short bolt
- Concussion head (for very small animals)
- Range of cartridges to suit different requirements
- Robust construction
- Reliable performance
- CE compliant to Machinery Directive 2006/42/EC, CIP approved cartridges and ISO 9001 quality standard
- Low maintenance costs



CASH® Dispatch Kit

Description	Calibre	Product weight	Max cartridge	Product code
CASH® Special .25	.25"	2.8 kg	3.0 grain	4121K
CASH® Special HD .25	.25"	2.9 kg	3.5 grain	4121K
CASH® Special HL .25	.25"	3.0 kg	3.5 grain	4121K
CASH® Special Concussion .25	.25"	3.0 kg	2.0 grain	4121K

CASH® Dispatch Kit cartridge selection .25"

Colour	Grain	Energy (J)			Suggested uses	Product code	
		STD	HD	HL		Tin 50	Box 1000
Pink	1.25	165	163	167	Young calves, piglets, lambs and kids	4121KA	7760
Yellow	2.0	249	243	247	Small cattle, small pigs, ewes and goats	4121KB	7710
Blue	3.0	296	288	297	Medium sized cattle, market pigs, horses and other large animals	4121KC	7757
Orange	3.5	X	329	332	Heavy cattle and bulls, heavy pigs and large horses	4121KD	7748

CASH® Dispatch Kit cartridge selection .25" (Concussion)

Colour	Grain	Energy (J)	Suggested uses	Product code	
				Tin 50	Box 1000
Pink	1.25	129	Young calves, piglets, lambs and kids	4121KA	7760
Yellow	2.0	164	Small cattle, small pigs, ewes and goats	4121KB	7710



Stunning performance measurement device

Device for the accurate measurement and validation of the stunning performance of CASH® penetrating captive bolt stunning tools



⚠ Laptop not provided

Why the CASH® Captive Bolt Stun Check!

- Robust and durable construction
- On-device visual indication of stun check
- Measure the actual velocity of the captive bolt in m/s
- Easy to set up and use wirelessly via Bluetooth with an Android tablet and Windows PC
- Detailed stun check record including serial number of tool, cartridge, date, time, operator name, velocity etc.
- Save and share data in spreadsheet format
- Satisfies the requirements for Welfare of Animals at the Time of Killing (WATOK) regulations



CASH® Captive Bolt Stun Check specification

Description	Product weight	Compatible tool	Product code
CASH® Captive Bolt Stun Check Base Unit with an adaptor	11.6 kg	CASH® Special (std)	CSCD6
	12.7 kg	CASH® Special (medium/long)	CSCD1
	11.3 kg	CASH® Cowpuncher	CSCD2
	11.2 kg	CASH® Magnum Auto	CSCD3
	12.6 kg	CASH® Magnum FreeFlight	CSCD4
	11 kg	CASH® Magnum XL	CSCD5

CASH® Captive Bolt Stun Check adapters

Description	Product code
CASH® Special (std)	CSCD014
CASH® Special (medium/long)	CSCD007
CASH® Cowpuncher	CSCD008
CASH® Magnum Auto	CSCD009
CASH® Magnum FreeFlight	CSCD010
CASH® Magnum XL	CSCD011

Included with every CASH® Captive Bolt Stun Check

- CASH® Captive Bolt Stun Check base unit
- Android tablet (loaded with testing app, user manual and PC software)
- USB flash drive containing the Android testing app, Windows PC software and PDF of the user manual
- One adaptor for a CASH® stunning tool (additional adaptors can be purchased separately)
- Power socket adapter
- Printed copy of the user manual

Compatible tools with the CASH® Captive Bolt Stun Check



CASH® Special Range



CASH® Cowpuncher



CASH® Magnum Auto



CASH® Magnum FreeFlight



CASH® Magnum XL


⚠ *Not suitable for concussion stunning tools

Dock and count

After the stunning is performed, dock the stunner in the CASH® stunner docking station and get automatically a count of the operations performed with the particular stunning tool. Place the CASH® stunner docking station near the stunning box for easy access

Why the CASH® stunner docking station!

- Robust stainless steel construction
- Movable for servicing tools
- Adaptors allow all of the range of stunners to be docked
- Adaptors allow mixing stunning tools
- Robust handles for carrying docker and tools to and from the stunning box



CASH® Stunner Docking Station specification

Description	Product weight	Compatible tool	Product code
CASH® Stunner Docking Station	5.6 kg (without stunner and adaptor)	All CASH® stunners	AS09/GAV3

CASH® Stunner Docking Station adapters

Description	Product code
Generic counter and docking station	AS09/GAV7
CASH® Special standard/medium/long	CDS/13A
CASH® Magnum XL	CDS3/B/C
CASH® Cowpuncher	CDS13E
CASH® Magnum Auto	CDS13D
CASH® Magnum FreeFlight	CDS13B/C

Included with every CASH® Stunner Docking Station

- Docking station unit
- One adapter for stunner selected (alternative adapters available for purchase)



Compatible tools with the CASH® Stunner Docking Station



CASH® Auto



CASH® Magnum FreeFlight



CASH® Magnum Concussion



CASH® Magnum XL



CASH® Special standard



CASH® Special Concussion



CASH® Special XL

Prolong the life of you captive bolt stunner

How to guarantee continuous high standard and prolonged life span of your CASH® stunning equipment?

The answer is a yearly test and calibration of your CASH® stunning equipment and tools.

With our UK mobile service, we can ensure a minimized disruption in your business, as we can perform the testing, calibration, and small repairs of your CASH® stunning on-site.

A service we plan to expand. In the meantime, you can send your stunning equipment to our facility where we will take care of the yearly test and calibration and return it within a few days from reception.

Do not hesitate to contact us, we are here to support you.

When only the best is good enough!



Argentina

MECAR
Catamarca 624, 2134 - Roldán
Santa Fe
Phone: +54 341 306 3215
mecarargentina.com.ar

Australia
Food Processing Equipment

878 Main North Road, Pooraka 5095, South Australia
Phone: +61 8 8262 5300
fpe.net.au

Austria

Rumpf GmbH
Schmiedlstrasse 15, Graz-Messendorf 8042
the Netherlands
Phone: +43 316 406 460
rumpf.at

Belgium

Abato BV
Platinalaan 10, S-Hertogenbosch 5234 GH
the Netherlands
Phone: +31 416 362 138
abato.nl

Brazil

Dalpino Industria de Serra Dal Pino Ltda
Av Industrial 1982 Campestre, Santo André,
Sao Paulo 09080-501
Phone: +55 114 991 3833
dalpino.com.br

Canada

Butcher's Edge
1215 Potter Greens Drive NW,
Edmonton Alberta Canada T5T 5Y7
Phone: +1 780 426 17921
butchersedge.com

Les Équipements Markenello Inc
Markenello Equipments Inc

950 du Roussillon
St-Jean-sur-Richelieu, Québec, Canada
J3B 8N8
Phone: +1 514 913 7877

Chile

Mario Chacon e Hijos Limitada
El Roble 163 Recoleta,
8441234 Santiago
Phone: +56 2 24841407
famadich.cl

China

Frontmatec Co., Ltd.
No. 800, Liuchen, Road Liutuan, Chuansha Pudong
Shanghai 201202
Phone: +86 215 859 4850
frontmatec.com

Colombia

Aseragro
Calle 73 No 72 ab 85 Bodega 1,
Medellin ab 85
Phone: +57 444 42184
aseragro.com

Czech Republic

MASO-PROFIT s.r.o.
Hrdlořežská 197/6
190 00 Praha 9
Fax: +420 284 827 089
masoprofit.cz

Denmark

Cash Pistol
Moesgaardvej 6, Ulfborg 6690
Phone: +45 974 92249
boltpistol.dk

Estonia

Foodtec OY Ab
Sahaajankatu 20 E 18, 00880 Helsinki
Phone: +35 892 744 750
foodtec.fi

Finland

Kevin Alpina
Mouvitie 5, 33470 Ylöjärvi
Phone: +35 3 3454 4500
kevinalpina.fi

France

+ French overseas territories and countries of
the Maghreb
Industrade
17 Rue Alfred Kastler, Schiltigheim 67300
Phone: +33 390 200 707
industrade.fr

Germany

Schmid and Wezel GmbH and Co Maschinenfabrik
Maybachstrasse 2, Maulbronn, 75433
Phone: +49 704 31020
efa-germany.de

Greece

Sfagia Almpias SA
Foustani, Exaplatanos 58004
Phone: +30 238 406 2099
foustanis.gr

Iceland

GK Heildverslun
Smi Kopavogur IS-200
Phone: +35 456 73414

Ireland

+ Northern Ireland
McDonnells (Queen St.) Ltd.
U 15 Northern Cross Business Park, North Road
Dublin 11, D11 W5WN
Phone: +353 (0) 677 8123
mcdonnells.ie

Italy

Berera SRL
Via Vincenzo Monti 39, Reggio Emilia 42122
Phone: +39 522 337 212
berera.com

Japan

Nippo Kogyo Co., Ltd
Chabatake 1838, Susono Shizuoka 410-1121
Phone: +81 559 950 271
nippokogyo.co.jp

Kenya

KSPCA
Next to Najmi Apartments Bombolulu Nyali Road,
Nairobi 80100
Phone: +254 202 024 348
kspcamsa.com

Latvia

JSC Techlinta
Vilniaus Str 100, LT-20166, Ukmerge 20160
Phone: +37 684 42666
techlinta.eu

Lithuania

JSC Techlinta
Vilniaus Str 100, LT-20166, Ukmerge 20160
Phone: +37 684 42666
techlinta.eu

Luxembourg

Abato BV
Platinalaan 10, S-Hertogenbosch 5234 GH
the Netherlands
Phone: +31 416 362 138
abato.nl

Mexico

Maquinaria y Partes
Tamaulipas No 1293 SH Co San Miguel De Mezquitan,
Guadajajara Jalisco, 44260
Phone: +52 333 585 8402
maquinariaypartes.com.mx

Moldova

S.C. Crainic Prodimpex S.R.L.
Com. Capusu Marc, Sat Capusu Mic,
Str. Principala, nr. 22/G, 407148 Cluj, Romania
Phone/fax: +40 264 446 019
crainic.ro

Netherlands

Abato B.V
Platinalaan 10, S-Hertogenbosch, 5234 GH
Phone: +31 416 362 138
abato.nl

New Zealand

Food Processing Equipment
878 Main North Road, Pooraka 5095, South Australia
Phone: +61 8 8262 5300
fpe.net.au

Norway

Skala AS
Box 83, Økern, 0508 Oslo
Phone: +47 230 52800
skala.no

Poland

Weindich Sp.J
ul. Adamieckiego 8
41-503 Chorzów
Phone: +48 327 469 100
weindich.pl

Portugal

**BOGIMA - Representações,
Importação e Export., Lda.**
Complexo Ind. de Vialonga, Armazém C 18, Granja
Vialonga 2226-501
Phone: +351 219 737 560
bogima.pt

Romania

S.C. Crainic Prodimpex S.R.L.
Com. Capusu Marc, Sat Capusu Mic,
Str. Principala, nr. 22/G, 407148 Cluj, Romania
Phone/fax: +40 264 446 019
crainic.ro

Russia

KOH
Begovaya St. 26, Moscow 125284
Phone: +7 495 945 15 98
eliseev.ru

Slovenia

+ other Balkan countries
Teka-m d.o.o
Pacinska Ulica 32 Polje, Ljubljana 1260
Phone: +386 154 91886
teka-m.si

South Africa

+ other Southern African countries
PHT South Africa
Unit 17 Edison Square, 137 Edison Crescent
Hennopspark, Centurion 0157
Phone: +27 861 777 993
pht.co.za
pht.group

South Korea

Century Trading Company
1st Floor Taeyang Building 60-3 Seokchon-Dong
Songa-Gu, Seoul 153 775
Phone: +82 222 030 090

Spain

**AZASA Instrumental Quirurgico y
Material Gandero SA**
Plaza Santa Catalina de los Donados 2,
Madrid 28013
Phone: +34 915 481 806
azasa.es

INTECAL Industrial Técnico Alimentaria, S.A.

Crom 99 F, 09007 L'Hospitalet de Llobregat
Barcelona
Phone: +34 93 264 38 00
intecal.com

Sri Lanka

FPT Food Process Technology Co. Ltd.,
Sri Lanka Branch Office
NO. 117/A, De Mazenod Road
Kandana, Sri Lanka
Phone/fax: +94 11 207 9394
ftp-asia.com

Sweden

Detec Food Technology
Terminalgaten 26, Vellinge 23539
Phone: +46 404 00061
detec.se

Switzerland

BIAX Maschinen GmbH
Industrieplatz 1, Neuhausen am Rheinfall 8212
Phone: +41 526 747 979
biax-schweiz.ch

Taiwan

JHO Shine Co Ltd
1F No 7-11 Daping Lane Jhongheng 1st Road,
Dashu Township Kaohsiung County 840
Phone: +88 677 326 553

Ukraine

LOGRUS
Vasylyya Lypkivskogo str., 37-B, of 1015, Kiev 2160
Phone: +38 444 928 369
foodplant.com.ua

USA

Accles & Shelvoke Inc
773 Victory Highway, West Greenwich,
Rhode Island 02817
Phone: +1 951 479 2391
accles-shelvoke.com

QC Supply

P.O. Box 581, 574 Road 11, Schuyler
Nebraska 68661-0581
Phone: +1 800 433 6340
qcsupply.com

UltraSource LLC

1414 W. 29th Street, Kansas City
Missouri 64108
Phone: +1 816 753 2150
ultrasourceusa.com

Walton's

3639 N Comotara St, Wichita
Kansas 67226
Phone: +1 800 835 2832
waltonsinc.com

FRONTMATEC

Frontmatec Accles & Shelvocke Ltd Unit 5A, Maybrook Road,
Maybrook Business Park
Minworth Sutton Coldfield
Birmingham, West Midlands
UK B76 1 AL

Phone: +44 121 313 3564

Fax: +44 121 313 0282

accles-shelvocke.com

frontmatec.com



Contractors of Ministry of
Defense

Crown Agents for Overseas
Governments and
Administration